## **Section 1 - Chemical Product and Company Information**

Product Name: Smith's Antique Release Product Code: SDCP-PRA

Trade Name: Smiht's Antique Release

Manufactured by: Smith Paint Products 2200 Paxton Street Harrisburg, PA 17111 (800) 466-8781

Chemtrec 2900 Fairview Park Drive Falls Church, VA 22042-4513 (800) 262-8200

Emergency Hot Line: (800) 424-9300

## Section 2 - Hazards Identification

#### GHS Ratings:

GHS Hazards

#### **GHS Precautions**

#### Signal Word:

There are no GHS ratings that apply to this product at this time.

Chemical Name     CAS number     Weight Concentration %       CALCIUM CARBONATE     1317-65-3     90.00% - 100.00%       Inert     5.00% - 10.00%	Section 3 - Composition/Information on Ingredients				
CALCIUM CARBONATE 1317-65-3 90.00% - 100.00% Inert 5.00% - 10.00%	Chemical Name	CAS number	Weight Concentration %		
Inert 5.00% - 10.00%	CALCIUM CARBONATE	1317-65-3	90.00% - 100.00%		
		Inert	5.00% - 10.00%		
SILICA SAND 14808-60-7 0.10% - 1.00%	SILICA SAND	14808-60-7	0.10% - 1.00%		

### **Section 4 - First Aid Measures**

**INGESTION:** In case of inhalation, move to fresh air. A NIOSH N-95 approved respirator is recommended whenever dusty, powder situations are encountered.

**EYE CONTACT:** Flush eyes for 15 minutes with gently running water, occasionally lifting upper and lower eyelids. Seek medical attention if necessary. Safety eyewear is recommended dusty, powder situations are encountered. **SKIN CONTACT:** Wash skin thoroughly with soap and water if irritation develops. Product may have an abrasive

action.

**Ingestion:** If ingested, do not induce vomiting. If conscious, drink two glasses of water. Seek medical attention if necessary.

## **Section 5 - Fire Fighting Measures**

Flash Point: N/A

LEL:

UEL:

**Flammable Limits:** This product is not flammable. **Extinguishing Media:** This product is not flammable.

## Section 6 - Accidental Release Measures

**SPILL AND LEAK PROCEDURES:** Spill supervisor - Ensure cleanup personnel wear all appropriate PPE when cleaning up spills/leaks. Take care to avoid raising dust cloud, and avoid breathing dust clouds. Avoid water until final step(s) if needed.

# Section 7 - Handling and Storage

**Handling Precautions:** All facilities commonly handling powders need eyewash stations and proper protective equipment as needed. Ventilation may be required according to conditions to avoid excessive dust formation. **Storage:** Store at ambient temperatures. Keep material dry. Store and keep product away from acids.

## Section 8 - Exposure Controls / Personal Protection

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
CALCIUM CARBONATE 1317-65-3	1.4 mg/ m3 respirable 4.2 mg/ m3 total	1.4 mg/ m3 respirable 4.2 mg/ m3 total	Not Established
Inert	Not Established	Not Established	Not Established
SILICA SAND 14808-60-7	Not Established	Not Established	Not Established

**Engineering Controls:** Under normal circumstances, expected use no additional controls are required. Maintain packaging. Use ventilation as required in enclosed or indoor use.

**Protective Gear:** A NIOSH N-95 dust mask if excessive dust is being generated. Proper glasses/goggles recommended, as with any powder or dusty product. Rubber gloves may be used under prolonged exposure. Existing wounds or conditions may become irritated.

## **Section 9 - Physical and Chemical Properties**

This mixture typically exhibits the following properties under normal circumstance:

Appearance: Powder	Odor: No Odor

Vapor Pressure: Not Applicable Vapor Density: Not Applicable Specific Gravity: 2.70 Freezing point: Not Applicable Boiling range: Not Applicable Flammability: Not Flammable or Combustible Autoignition temperature: Not Applicable Grams VOC less water: None Odor threshold: Not Applicable pH: 8.5 - 10 Melting point: >825°C Solubility: 1.5 mg/ 100 mL @ 25°C Flash point: Not Applicable Explosive Limits: Not Applicable

Viscosity: Not Applicable

## Section 10 - Stability and Reactivity

## Stability:

STABLE

#### Incompatibilities/Condidtions to avoid: acids.

No Data Found

#### Hazardous Decomposition: None expected.

No Data Found

Hazardous polymerization will not occur.

### Section 11 - Toxicological Information

#### Mixture Toxicity Component Toxicity

1317-65-3

CALCIUM CARBONATE Oral LD50: 5 g/kg

Primary routes of entry: Skin contact, eyes, and inhalation of fine fraction.

CAS Number 14808-60-7 Description SILICA SAND

<u>% Weight</u> 1 to 1.0% Carcinogen Rating SILICA SAND:

### Section 12 - Ecological Information

#### Component Ecotoxicity

CALCIUM CARBONATE

No information available.

### Section 13 - Disposal Considerations

**Disposal:** Landfill waste in accordance to local, state or federal regulations. Always minimize any use of any water system for teh disposal of any industrial, commercial or residential wastes.

### Section 14 - Transport Information

This material is classified for transport as follows:

<u>Agency</u> DOT IATA ADR/RID IMDG	Proper Shipping Name		UN Number Unregulated Unregulated Unregulated Unregulated	Packing Group	<u>Hazard Class</u> Non Hazardous Non Hazardous Non Hazardous Non hazardous			
Section 15 - Regulatory Information								
Country Regulation All Components Listed								
Section 16 - Other Information								
Hazardous Material Information System (HMIS) National Fire Protection Association (NFPA)								
HEALTH	1 HMIS & NFP	A Hazard Rating	Flam	mability				
FLAMMABI	LITY 0 Legend * = Chronic	Health Hazard	Health	0 Instability				
PHYSICAL I	1AZARD 0 = INSIGNIF 1 = SLIGHT	ICANT						
PERSONAL PF	ROTECTION 2 = MODERA   3 = HIGH	ΤE	Spe	ecial				
The material contained in this Safety Data Sheet is based on information supplied to Smith Paint Products by the								

The material contained in this Safety Data Sheet is based on information supplied to Smith Paint Products by the raw material suppliers of the individual components of this product. Smith Paint Products believes this information is truthful and reliable. However, no warranty is expressed or implied regarding the accuracy of this information, or of any product, method or apparatus mentioned and you must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and health and safety of your employees and users of this material. As more information becomes available from our vendors additional revisions will be forthcoming.

Date Prepared: 2/5/2016