

# Safety Data Sheet

#### **1. IDENTIFICATION**

#### **Product**

Product Name:	Smith's Liquid Dye
Product Color:	Red Brown
Product Code:	SLD-30

Recommended Use:Professional use. Coloring agent.Uses advised against:No information available

Company: Smith Paint Products 2200 Paxton Street Harrisburg, PA 17111 (717) 233-8781

Emergency telephone number: Chemtrec (800) 424-9300

## 2. HAZARDS IDENTIFICATION

Classification Specific target organ toxicity (single exposure) Flammable Liquids

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word Warning

#### Hazard Statements

H336 – May cause drowsiness or dizziness Combustible liquid



Appearance Red/brown liquid

Physical state liquid

Category 3

Category 4

Odor butyl/ether

#### **Precautionary Statements**

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P271 - Use in a well-ventilated area

- P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- P312 Call a POISON CENTER or doctor if you feel unwell
- P405 Store locked up

P210 - Keep away from heat/sparks/open flames/hot surfaces. — No smoking

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P403 + P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/container to industrial incineration plant



#### Hazards not otherwise classified (HNOC)

Unknown acute toxicity

25.5 percent of the mixture consists of ingredient(s) of unknown acute toxicity

## **3. COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical nameCAS-NoWeight %ETHOXY PROPONAL1569-02-420-25

## 4. FIRST AID MEASURES

**Eye contact -** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.

**Skin contact -** Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician. Immediate medical attention is not required

**Inhalation -** Move to fresh air. If symptoms persist, call a physician. Immediate medical attention is not required. Move to fresh air in case of accidental inhalation of vapors or decomposition products.

**Ingestion -** Immediate medical attention is not required. Rinse mouth. Drink plenty of water. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Consult a physician.

General advice - If symptoms persist, call a physician.

## **5. FIRE-FIGHTING MEASURES**

Suitable Extinguishing Media – Use dry chemical. Carbon dioxide. (CO<sub>2</sub>). Water spray. Alcohol-resistant foam.

Unsuitable Extinguishing Media – Do not use a solid water stream as it may scatter and spread fire.

**Specific hazards arising from the chemical –** Keep product and empty container away from heat and source ignition. Risk of ignition and flammable.

Explosion data Sensitivity to Mechanical Impact - none. Sensitivity to Static Discharge - Yes

**Protective equipment and precautions for firefighters -** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions -** Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges.

**Environmental precautions -** Prevent entry into waterways, sewers, basements or confined areas. Do not flush into water or sanitary sewer system. Prevent product from entering drains.

Methods for Containment - Prevent further leakage or spillage if safe to do so.



**Methods for cleaning up -** Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. After cleaning, flush away traces with water. Prevent product from entering drains. Dam up. Take precautionary measures against static discharges.

## 7. HANDLING AND STORAGE

Advice on safe handling - Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Do not use mobile phones during handling. Never pierce, drill, grind, cut, saw or weld any empty container.

**Technical measures/Storage conditions -** Keep container tightly closed. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat and sources of ignition. Keep in properly labeled containers. Keep away from heat.

Incompatible products None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines Chemical name Propietary	ACGIH TLV 10mg/m³ TWA Total dust 3 mg/m³ Respirable	<b>OSHA PEL</b> 15mg/m³ TWA Total dust 5 mg/m³ Respirable	NIOSH IDLH IDLH: 15 mg/m <sup>3</sup> Cr(VI) IDLH: 25 mg/m <sup>3</sup> Cr(III) TWA: 0.0002 mg/m <sup>3</sup> Cr TWA 0.5 mg/m <sup>3</sup> Cr
Proprietary	Not Established	Not Established	No information available
Proprietary	100 ppm 606 mg/m³ TWA 150 ppm 909 mg/m³ STEL	Not Established	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> STEL: 150 ppm STEL: 900 mg/m <sup>3</sup>
Proprietary	Not Established	Not Established	No information available
Proprietary	Not Established	Not Established	IDLH: 15 mg/m³ Cr(VI) IDLH: 25 mg/m³ Cr(III) TWA: 0.0002 mg/m³ Cr TWA 0.5 mg/m³ Cr

Other Exposure Guidelines – Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11<sup>th</sup> Cir., 1992)

#### Exposure controls

**Engineering Measures –** Showers, eyewash stations and ventilation systems. Apply technical measures to comply with the occupational exposure limits. Process enclosure and/or ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face Protection -** Safety goggles, face-shield and eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substances.

**Skin and body protection -** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

**Respiratory protection -** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

**Hygiene measures -** When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use. Regular cleaning of equipment, work area and clothing is recommended.



# Safety Data Sheet

## 9. PHYSICAL AND CHEMICAL PROPERTIES

physical and chemical properties					
Physical state	liquid C	Odor butyl/ether			
Odor Threshold	No information available				
Property	Values				
рН	No data available				
Melting point	N/A				
Boiling point/boiling ran	ge < 100 °C / 212 °F				
Flash point	> 76 °C / > 170 °F				
Evaporation rate	No data available				
Flammability (solid, gas)	No data available				
Flammability Limits in A	ir				
Upper flammability limi	t No information available				
Lower flammability limi	t No information available				
Vapor Pressure	No information available				
Vapor density	No information available				
Specific gravity	1.07				
Solubility in other solver	nts 100% Water, Acetone, dena	ture alcohol			
Partition coefficient:					
n-octanol/water	No information available				
Autoignition temperature	No data available				
Decomposition temperat	ure No information available				
Explosive properties	No information available				
Oxidizing properties	No information available				
Softening point	No information available				
VOC g/l	<22.6				
Density	No information available				
Bulk density	No information available				

## **10. STABILITY AND REACTIVITY**

Reactivity - No data available

Chemical stability - Stable under recommended storage conditions.

Hazardous Reactions - None under normal processing

**Conditions to Avoid** – Heat, flames and sparks. Take precautionary measures against static charges. Heat (temperatures above flash point), sparks, ignition points, flames and static electricity.

Incompatible Materials - None known based on information supplied.

Hazardous Decomposition Products - May emit toxic fumes under fire conditions.

## **11. TOXICOLOGICAL INFORMATION**

#### **Product Information**

Inhalation	Avoid breathing vapors or mists.
Eye contact	Avoid contact with eyes
Skin contact	May be harmful in contact with skin.
Ingestion	Not an expected route of exposure. Do not taste or swallow.



Information on toxicological effects
Symptoms No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
germ cell mutagenicity	No information available.
Carcinogenicity	
	ency for Research on Cancer)
	e as to Carcinogenicity in Humans
Reproductive toxicity	No information available.
Specific target organ systemic	No information available
toxicity (single exposure)	
Specific target organ systemic	No information available
toxicity (repeated exposure)	
Chronic toxicity	May cause adverse liver effects
Target Organ Effects	blood, kidney, eyes, respiratory system, skin
Aspiration hazard	No information available.
Numerical measures of toxicity -	Product Information
Unknown acute toxicity	25.5 percent of the mixture consists of ingredient(s) of unknown acute toxicity
The following values are calcula	ted based on chapter 3.1 of the GHS document
ATEmix (oral)	7201 mg/kg
ATEmix (dermal)	13257 mg/kg
ATEmix (inhalation-gas)	700
ATEmix (inhalation-dust/mist)	3178.1
ATEmix (inhalation-vapor)	69.7 mg/l
12. ECOLOGICAL INFORM	ATION
Ecotoxicity	
<u>zootokienty</u>	
43.2% of the mixture consists of co	mponents(s) of unknown hazards to the aquatic environment
	to algae Toxicity to fish

Chemical name Toxicity to algae ETHOXY PROPANOL 1569-02-4		Toxicity to fish 10000: 24H Pimephales promelas mg/L LC50 static		
Persistence and degradability		No information available.		

Other adverse effects

No information available

## **13. DISPOSAL CONSIDERATIONS**

**Waste Disposal Methods -** Should not be released into the environment. This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261). Dispose of in accordance with all applicable national environmental laws and regulations. Dispose of in accordance with local regulations.

Contaminated packaging - Do not re-use empty containers. Dispose of in accordance with local regulations.

US EPA Waste Number - D007 D001

This product contains one or more substances that are listed with the State of California as a hazardous waste.

## **14. TRANSPORT INFORMATION**

DOT Not regulated

MEX



IATA Not regulated

IMDG Not regulated

RID

ADN

## **15. REGULATORY INFORMATION**

#### International Inventories

TSCA	not determined
EINECS/ELINCS	-
DSL	not determined
NDSL	not determined
PICCS	not determined
ENCS	not determined
IECSC	not determined
AICS	not determined
KECL	not determined
NZIoC	not determined

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List PICCS - Philippines Inventory of Chemicals and Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances AICS - Australian Inventory of Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances NZIOC - New Zealand Inventory of Chemicals

**REACH registration number –** Supplier has taken all relative steps to ensure REACH-Compliance. Please contact us with any REACH-Related questions at info@smithpaints.com

**RESTRICTIONS - REACH TITLE VIII** 

No information available

## US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name ETHOXY PROPANOL Proprietary		<b>SARA</b> 1.0 1.0	313 - Threshold Values %	
Proprietary		1.0		
SARA 311/312 Hazard ( Acute Health Hazard Chronic Health Hazard Fire Hazard Sudden release of pres Reactive Hazard		Yes. Yes. Yes. No. No.		
Clean Water Act Chemical Name Proprietary	CWA – Reporta	ble Quantities	CWA - Toxic Pollutants X	CWA – Priority Pollutants

Personal Protection H



Proprietary Proprietary X X

**CERCLA -** This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## US State Regulations

California Proposition 65 - This product does not contain any Proposition 65 chemicals

## U.S. State Right-to-Know Regulations

Chemical name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
PROPRIETARY		Х	X	Х	
PROPRIETARY		Х	Х	Х	
PROPRIETARY	Х	Х	Х	Х	

#### **International Regulations**

Mexico - Grade Moderate risk, Grade 2.

#### Canada

#### WHMIS Note

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

Physical Hazard 0

#### WHMIS Hazard Class

**B3** Combustible liquid D2B Toxic materials



HMIS Health Hazard 2

# 16. OTHER INFORMATION

Flammability 2

Date of Preparation 5 / 2014

employees and users of this material.

**Special Note**: The material contained in this Material Safety Data Sheet is based on information supplied to Smith Paint Products by the raw material suppliers of the individual components of this product and Smith Paint Products believes this information is reliable. However, no warranty is expressed or implied regarding the accuracy of this information, or of any product, method or apparatus mentioned and you must make your own determination of its

suitability and completeness for your own use, for the protection of the environment, and health and safety of your