

# **Safety Data Sheet**

## **1. IDENTIFICATION**

### **Product**

Smith's Liquid Dye
Merlot
SLD-55

Recommended Use:Professional use. Coloring agent.Uses advised against:No information available

Company: Smith Paint Products 2200 Paxton Street Harrisburg, PA 17111 (717) 233-8781

Emergency telephone number: Chemtrec (800) 424-9300

## 2. HAZARDS IDENTIFICATION

Classification Specific target organ toxicity (single exposure) Flammable Liquids

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word Warning

#### Hazard Statements

H336 – May cause drowsiness or dizziness Combustible liquid



Appearance purple liquid

Physical state liquid

Category 3

Category 4

Odor butyl-like odor

#### **Precautionary Statements**

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P271 - Use in a well-ventilated area

- P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- P312 Call a POISON CENTER or doctor if you feel unwell
- P405 Store locked up

P210 - Keep away from heat/sparks/open flames/hot surfaces. — No smoking

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P403 + P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/container to industrial incineration plant



### Hazards not otherwise classified (HNOC)

Unknown acute toxicity

11 percent of the mixture consists of ingredient(s) of unknown acute toxicity

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	CAS-No	Weight %
ETHOXY PROPONAL	1569-02-4	20-25
Proprietary	Proprietary	10-15

## 4. FIRST AID MEASURES

**Eye contact -** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.

**Skin contact -** Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician. Immediate medical attention is not required

**Inhalation -** Move to fresh air. If symptoms persist, call a physician. Immediate medical attention is not required. Move to fresh air in case of accidental inhalation of vapors or decomposition products.

**Ingestion -** Immediate medical attention is not required. Rinse mouth. Drink plenty of water. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Consult a physician.

General advice - If symptoms persist, call a physician.

# **5. FIRE-FIGHTING MEASURES**

Suitable Extinguishing Media – Use dry chemical. Carbon dioxide. (CO<sub>2</sub>). Water spray. Alcohol-resistant foam.

Unsuitable Extinguishing Media - Do not use a solid water stream as it may scatter and spread fire.

**Specific hazards arising from the chemical –** Keep product and empty container away from heat and source ignition. Risk of ignition and flammable.

Explosion data Sensitivity to Mechanical Impact - none. Sensitivity to Static Discharge - Yes

**Protective equipment and precautions for firefighters -** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions -** Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges.

**Environmental precautions -** Prevent entry into waterways, sewers, basements or confined areas. Do not flush into water or sanitary sewer system. Prevent product from entering drains.

Methods for Containment - Prevent further leakage or spillage if safe to do so.



**Methods for cleaning up -** Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. After cleaning, flush away traces with water. Prevent product from entering drains. Dam up. Take precautionary measures against static discharges.

# 7. HANDLING AND STORAGE

Advice on safe handling - Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Do not use mobile phones during handling. Never pierce, drill, grind, cut, saw or weld any empty container.

**Technical measures/Storage conditions -** Keep container tightly closed. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat and sources of ignition. Keep in properly labeled containers. Keep away from heat.

Incompatible products None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines Chemical name Propietary	ACGIH TLV	OSHA PEL TWA: 0.5 mg/m <sup>3</sup> Cr (vacated) Ceiling: 0.1 mg/m <sup>3</sup> CrO3 applies to any operations or sectors for which Hexavalent Chromium standard [29 CFR 1910.1026] is stayed or is otherwise not	NIOSH IDLH IDLH: 15 mg/m <sup>3</sup> Cr(VI) IDLH: 25 mg/m <sup>3</sup> Cr(III) TWA: 0.0002 mg/m <sup>3</sup> Cr TWA 0.5 mg/m <sup>3</sup> Cr
		is stayed or is otherwise not in effect	

Other Exposure Guidelines – Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11<sup>th</sup> Cir., 1992)

#### Exposure controls

**Engineering Measures –** Showers, eyewash stations and ventilation systems. Apply technical measures to comply with the occupational exposure limits. Process enclosure and/or ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face Protection -** Safety goggles, face-shield and eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substances.

Skin and body protection - Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

**Respiratory protection -** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

**Hygiene measures -** When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use. Regular cleaning of equipment, work area and clothing is recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### physical and chemical properties

Physical state	liquid
Odor Threshold	No information available

Odor butyl-like odor

# Safety Data Sheet



Property pН Melting point Boiling point/boiling range Flash point **Evaporation rate** Flammability (solid, gas) Flammability Limits in Air Upper flammability limit Lower flammability limit Vapor Pressure Vapor density Specific gravity Solubility in other solvents Partition coefficient: n-octanol/water Autoignition temperature **Decomposition temperature** Explosive properties **Oxidizing properties** Softening point VOC g/l Density **Bulk density** 

Values No information available N/A < 100 °C / 212 °F > 79 °C / > 175 °F No data available No data available No data available No information available No information available No information available No information available 1.09 100% Water, Acetone, denature alcohol No information available No data available No information available No information available No information available No information available <22.6 No information available No information available

## **10. STABILITY AND REACTIVITY**

Reactivity - No data available

Carcinogenicity

Chemical stability - Stable under recommended storage conditions.

Hazardous Reactions - None under normal processing

**Conditions to Avoid** – Heat, flames and sparks. Take precautionary measures against static charges. Heat (temperatures above flash point), sparks, ignition points, flames and static electricity.

Incompatible Materials - None known based on information supplied.

Hazardous Decomposition Products - May emit toxic fumes under fire conditions.

## **11. TOXICOLOGICAL INFORMATION**

Product Inform Inhalation Eye contact Skin contact Ingestion	Avoid breathing Avoid contact wi May be harmful i	1	taste or swallow.		
Chemical name Proprietary	LD50 Oral         LD50 Dermal         LC50 Inhalation           no data available         no data available         no data available				
Information on toxicological effectsSymptomsNo information available.					
Delayed and im	mediate effects a	as well as chronic effects	from short and long-t	erm exposure	
Sensitization germ cell muta	genicity	No information available. No information available.			



Chemical name Proprietary	ACGIH	IARC Group 3	NTP	OSHA	
•		for Research on to Carcinogenicity	,		
Reproductive toxicity		information availa			
Specific target organ s toxicity (single expos	ystemic No	information availa			
Specific target organ s toxicity (repeated exp		information availa	ble		
Chronic toxicity	Ma	y cause adverse li	ver effects		
Target Organ Effects	blo	od, eyes, kidney, l	ungs, respiratory	system, skin	
Aspiration hazard	Na	information availa	ble.	•	
Numerical measures o	f toxicity - Pro	duct Information			

Unknown acute toxicity 11 percent of the mixture consists of ingredient(s) of unknown acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	9362 mg/kg
ATEmix (dermal)	17234 mg/kg
ATEmix (inhalation-vapor)	90.6 mg/l

## **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

34.5% of the mixture consists of components(s) of unknown hazards to the aquatic environmentChemical nameToxicity to algaeETHOXY PROPANOLToxicity to fish1569-02-410000: 24H Pimephales<br/>promelas mg/L LC50 static

Persistence and degradability

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

**Waste Disposal Methods -** Should not be released into the environment. This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261). Dispose of in accordance with all applicable national environmental laws and regulations. Dispose of in accordance with local regulations.

Contaminated packaging - Do not re-use empty containers. Dispose of in accordance with local regulations.

 This product contains one or more substances that are listed with the State of California as a hazardous waste.

 Chemical Name
 California Hazardous Waste Status

 Propietary
 Toxic

 Corrosive

Ignitable

## 14. TRANSPORT INFORMATION

DOT Not regulated

MEX

- IATA Not regulated
- IMDG Not regulated



RID

ADN

# **15. REGULATORY INFORMATION**

#### International Inventories

TSCA	Listed
EINECS/ELINCS	Listed
DSL	Listed
NDSL	not determined
PICCS	Listed
ENCS	not determined
IECSC	Listed
AICS	Listed
KECL	not determined
NZIOC	not determined

### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List PICCS - Philippines Inventory of Chemicals and Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances AICS - Australian Inventory of Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances NZIOC - New Zealand Inventory of Chemicals

**REACH registration number** – Supplier has taken all relative steps to ensure REACH-Compliance. Please contact us with any REACH-Related questions at info@smithpaints.com

**RESTRICTIONS - REACH TITLE VIII** No information available

# US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name ETHOXY PROPANOL Proprietary		<b>SARA 3</b> 1.0 1.0	13 - Threshold Values %	
SARA 311/312 Hazard C Acute Health Hazard Chronic Health Hazard Fire Hazard Sudden release of pres Reactive Hazard	sure hazard	No. No. Yes. No. No.		
<b>Clean Water Act</b> Chemical Name Proprietary	CWA – Reportable	Quantities	CWA - Toxic Pollutants X	CWA – Priority Pollutants

**CERCLA -** This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material



## US State Regulations

California Proposition 65 - This product does not contain any Proposition 65 chemicals

## U.S. State Right-to-Know Regulations

Chemical name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
PROPRIETARY		X	X	Х	

### **International Regulations**

Mexico - Grade Slight risk, Grade 1.

### Canada

### WHMIS Note

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

## WHMIS Hazard Class

B3 Combustible liquid



HMIS Health Hazard 2

Flammability 2

Physical Hazard 0

Personal Protection H

## **16. OTHER INFORMATION**

Date of Preparation 5 / 2014

**Special Note**: The material contained in this Material Safety Data Sheet is based on information supplied to Smith Paint Products by the raw material suppliers of the individual components of this product and Smith Paint Products believes this information is reliable. However, no warranty is expressed or implied regarding the accuracy of this information, or of any product, method or apparatus mentioned and you must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and health and safety of your employees and users of this material.