



Safety Data Sheet

Section 1 - Chemical Product and Company Information

Product Name: U.V. Absorber Additive Product Code: U.V. Absorber Additive

Manufactured by:
Smith Paint Products
2200 Paxton Street
Harrisburg, PA 17111
(800) 466-8781

Chemtrec
2900 Fairview Park Drive
Falls Church, VA 22042-4513
(800) 262-8200

Emergency Hot Line:
(800) 424-9300

Section 2 - Hazards Identification

GHS Ratings:

Oral Toxicity	4	Oral>300+<=2000mg/kg
Dermal Toxicity	4	Dermal>1000+<=2000mg/kg
Inhalation Toxicity	4	Gases>2500+<=20000ppm, Vapors>10+<=20mg/l, Dusts&mists>1+<=5mg/l
Skin corrosive	2	Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation
Acute aquatic toxicity	A3	Acute toxicity <= 10.0 but < 100 mg/l

GHS Hazards

H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H332	Harmful if inhaled
H402	Harmful to aquatic life

GHS Precautions

P264	Wash ... thoroughly after handling
P273	Avoid release to the environment
P280	Wear protective gloves/protective clothing/eye protection/face protection
P321	Specific treatment (see ... on this label)
P362	Take off contaminated clothing and wash before reuse
P302+P352	IF ON SKIN: Wash with soap and water
P332+P313	If skin irritation occurs: Get medical advice/attention
P501	Dispose of in accordance with all applicable local, state and federal regulations.

Signal Word: Warning



Section 3 - Composition/Information on Ingredients

Chemical Name	CAS number	Weight Concentration %
ethyl 4-[(N-methylanilino)methylideneamino]benzoate	57834-33-0	70.00% - 80.00%
DECANEDIOIC ACID,1-METHYL 10-(1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL) ESTER	82919-37-7	10.00% - 20.00%
Benzyl Alcohol	100-51-6	10.00% - 20.00%
DECANEDIOIC ACID,1,10-BIS(1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL) ESTER	41556-26-7	5.00% - 10.00%

Section 4 - First Aid Measures

Inhaled: Remove victim to fresh air immediately. Get medical aid immediately

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids. Get medical aid immediately

Skin contact: Remove contaminated clothing and shoes. Wash with soap and water

Ingestion: Wash out mouth with water and then drink plenty of water. Treat symptomatically and supportively

Section 5 - Fire Fighting Measures

Flash Point: N/A

LEL: 1.00

UEL: 13.00

Suitable extinguishing media: water fog, Foam, Dry chemical powder

Unsuitable extinguishing media: High-pressure water jet

The following can be given off in a fire: CO, CO₂, NO_x can be given off

Special protective equipment: Good firefighting practice dictates the use of self-contained breathing apparatus and turnout gear.

Section 6 - Accidental Release Measures

Personal Precautions:

1. Removal of ignition sources
2. Provision for sufficient ventilation
3. Respiratory protection
4. Prevention of skin and eye contact

Environmental precautions:

1. Keep away from drains, surface and groundwater and soil
2. To alert the neighborhood

Method for cleaning up:

Take up with absorbent, inert material (e.g. sand) and place in suitable and close container for disposal

Section 7 - Handling and Storage

Handling: use chemical safety goggle, gloves, helmet, boots, and coveralls as necessary when using it, to prevent skin contact.

Storage: The substances in our product are very stable, please put it in the ventilate place. Keep away from food and drink.

Section 8 - Exposure Controls / Personal Protection

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
ethyl 4-[(N-methylanilino) methylideneamino]benzoate 57834-33-0	Not Established	Not Established	Not Established
DECANEDIOIC ACID,1-METHYL 10-(1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL) ESTER 82919-37-7	Not Established	Not Established	Not Established
Benzyl Alcohol 100-51-6	Not Established	Not Established	Not Established
DECANEDIOIC ACID,1,10-BIS(1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL) ESTER 41556-26-7	Not Established	Not Established	Not Established

Personal protective equipment:

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory protective equipment.

Hand protection: protective gloves

Eye protection: Goggles

Body protection: Closed working clothing as necessary to prevent skin contact

Section 9 - Physical and Chemical Properties

This mixture typically exhibits the following properties under normal circumstance:

Appearance: Liquid Solubility: Not miscible or difficult to mix Grams VOC less water: 0	Density: 1.08 g/cm ³ Flash point: >100°C (>212°F)
--	---

Section 10 - Stability and Reactivity

Chemical Stability: Stable under normal temperature and pressures

Conditions to avoid: Heat, static discharge

STABLE

Substances to avoid: Strong acid, strong bases and strong oxidizing agents, moisture.

Hazardous decomposition products: if involved in a fire, CO, CO₂, NO_x, maybe liberated.

Hazardous polymerization will not occur.

Section 11 - Toxicological Information

Mixture Toxicity

Inhalation Toxicity LC50: 333mg/L

Component Toxicity

100-51-6

Benzyl Alcohol

Oral LD50: 1,230 mg/kg (Rat) Dermal LD50: 2,000 mg/kg (Rabbit) Inhalation LC50: 9 mg/L (Rat)

CAS Number
None

Description

% Weight

Carcinogen Rating
N/A

Section 12 - Ecological Information

Component Ecotoxicity

Benzyl Alcohol

Toxicity to fish LC50- Lepomis macrochirus (Bluegill) - 10 mg/l -96h
Toxicity to daphnia and other aquatic invertebrates EC50 - Daphnia magna (water flea) - 55mg/L 24h

Section 13 - Disposal Considerations

Disposal consideration:

Product: Incinerate or bury in a licensed facility. Do not discharge into waterways or sewer systems without proper authority

Contaminated packaging: Dispose it in a licensed facility. Recommend crushing or other means to prevent non-authorized reuse

Section 14 - Transport Information

Agency

Proper Shipping Name

UN Number

Packing Group

Hazard Class

Section 15 - Regulatory Information

Section 16 - Other Information

The material contained in this Safety Data Sheet is based on information supplied to Smith Paint Products by the raw material suppliers of the individual components of this product. Smith Paint Products believes this information is truthful and reliable. However, no warranty is expressed or implied regarding the accuracy of this information, or of any product, method or apparatus mentioned and you must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and health and safety of your employees and users of this material. As more information becomes available from our vendors additional revisions will be forthcoming.

Date Prepared: 8/11/2020