Smith paints

Safety Data Sheet

Section 1 - Chemical Product and Company Information

Product Name: Part B Product Code: SCS-MCUWEAR90SB

Trade Name: Hi-Wear 90S

Manufactured by: Chemtrec

Smith Paint Products
2900 Fairview Park Drive
Falls Church, VA 22042-4513

Harrisburg, PA 17111 (800) 262-8200 (800) 466-8781

Emergency Hot Line: (800) 424-9300

Section 2 - Hazards Identification

GHS Ratings:

Skin corrosive 3 Reversible adverse effects in dermal tissue, Draize score: >=

1.5 < 2.3

Eye corrosive 2A Eye irritant: Subcategory 2A, Reversible in 21 days

Mutagen 2 Suspected/Possible: May include heritable mutations in human

germ cells, Positive evidence from tests in mammals and somatic cell tests, In vivo somatic genotoxicity supported by in

vitro mutagenicity

Reproductive toxin 1B Presumed, Based on experimental animals

GHS Hazards

H316 Causes mild skin irritation
H319 Causes serious eye irritation

H341 Suspected of causing genetic defects
H360 May damage fertility or the unborn child

GHS Precautions

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P264 Wash ... thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection

P281 Use personal protective equipment as required

P305+P351+P338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing

P308+P313 IF exposed or concerned: Get medical advice/attention
P332+P313 If skin irritation occurs: Get medical advice/attention
P337+P313 If eye irritation persists, get medical advice/attention

P405 Store locked up

P501 Dispose of in accordance with all applicable local, state and federal regulations.

Signal Word: Danger



Section 3 - Composition/Information on Ingredients
--

Chemical Name	CAS number	Weight Concentration %
	Inert	30.00% - 40.00%
Dodecanoic acid, 1,1'-(dibutylstannylene) ester	77-58-7	1.00% - 5.00%

Section 4 - First Aid Measures

INHALATION - Move to fresh air. Consult a physician after significant exposure.

EYE CONTACT - Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses.

Keep eye wide open while rinsing.

SKIN CONTACT - Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.

INGESTION - Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting without medical advice. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.

Notes to Physician - Treat symptomatically.

Section 5 - Fire Fighting Measures

Flash Point: N/A

LEL: 2.00 UEL: 33.00

SUITABLE EXTINGUISHING AGENTS: Carbon dioxide (CO2)

UNSUITABLE EXTINGUISHING AGENTS: Water

Specific extinguishing methods - Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters - In the event of fire, wear self-contained breathing apparatus.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures - Use personal protective equipment. Deny access to unprotected persons.

Methods and materials for containment and cleaning up - Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. **Environmental precautions -** Do not flush into surface water or sanitary sewer system. Local authorities should be advised if significant spillages cannot be contained.

SCS-MCUWEAR90SB Page 2 of 5

Section 7 - Handling and Storage

Advice on safe handling - Do not breathe vapors or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing.

For personal protection see section 8. Persons with a history of skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products.

Conditions for safe storage - Store in original container. Keep in a well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Store in accordance with local regulations.

Section 8 - Exposure Controls / Personal Protection

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Inert	Not Established	Not Established	Not Established
Dodecanoic acid, 1,1'- (dibutylstannylene) ester 77-58-7	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.	Not Established	Not Established

Section 9 - Physical and Chemical Properties

This mixture typically exhibits the following properties under normal circumstance:

Explosive Limits: N/A	Partition coefficient (n- N/A octanol/water):	
Autoignition temperature: N/A	Decomposition temperature: N/A	
Viscosity: 4 cps	Grams VOC less water: 439.93 g/L	
Appearance: Liquid	Odor: N/A	
Vapor Pressure: N/A	Odor threshold: N/A	
Vapor Density: N/A	pH: N/A	
Density: 1.11 kg/L	Melting point: N/A	
Freezing point: N/A	Solubility: N/A	
Boiling range: N/A	Flash point: 200°F	
Evaporation rate: N/A	Flammability: N/A	

Section 10 - Stability and Reactivity

Stability:

STABLE

Incompatibilities/Condidtions to avoid: No data available.

Hazardous polymerization will not occur.

Section 11 - Toxicological Information

Mixture Toxicity Component Toxicity

77-58-7

Dodecanoic acid, 1,1'-(dibutylstannylene) ester

Oral LD50: 2,071 mg/kg (Rat) Dermal LD50: 2,000 mg/kg (Rat)

CAS NumberDescription% WeightCarcinogen RatingNoneNo Data Available

Section 12 - Ecological Information

Component Ecotoxicity

Dodecanoic acid, 1,1'- Ecotoxicity Very toxic to aquatic life with long lasting effects.

(dibutylstannylene) ester Persistence and degradability No data is available on the degradability of this

product.

Section 13 - Disposal Considerations

Dispose in accordance with all applicable regulations.

Section 14 - Transport Information

<u>Agency Proper Shipping Name</u> <u>UN Number Packing Group Hazard Class</u>

ADR/RID Not regulated
DOT Not regulated
IATA Not regulated
IMDG Not regulated

Section 15 - Regulatory Information

State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING!

This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

- None

R2K List

77-58-7 Dodecanoic acid, 1,1'-(dibutylstannylene) ester

Section 16 - Other Information

SCS-MCUWEAR90SB Page 4 of 5

The material contained in this Safety Data Sheet is based on information supplied to Smith Paint Products by the raw material suppliers of the individual components of this product. Smith Paint Products believes this information is truthful and reliable. However, no warranty is expressed or implied regarding the accuracy of this information, or of any product, method or apparatus mentioned and you must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and health and safety of your employees and users of this material. As more information becomes available from our vendors additional revisions will be forthcoming.

Date Prepared: 7/25/2018