



## Safety Data Sheet

### Section 1 - Chemical Product and Company Information

Product Name: Vinyl Chips Product Code: SDCP-VC

Manufactured by:  
Smith Paint Products  
2200 Paxton Street  
Harrisburg, PA 17111  
(800) 466-8781

Chemtec  
2900 Fairview Park Drive  
Falls Church, VA 22042-4513  
(800) 262-8200

Emergency Hot Line:  
(800) 424-9300

### Section 2 - Hazards Identification

This product is considered non-hazardous under the OSHA Hazard Communication Standard (29CFR1910.120).

#### GHS Ratings:

#### GHS Hazards

#### GHS Precautions

**Signal Word:**

### Section 3 - Composition/Information on Ingredients

Chemical Name	CAS number	Weight Concentration %
CALCITE	471-34-1	40.00%
BARIUM SULFATE	7727-43-7	40.00%
Proprietary Resins	N/E	13.00%
TITANIUM DIOXIDE	13463-67-7	5.00%
Pigment(s)	Not Available	2.00%

### Section 4 - First Aid Measures

**Inhalation:** Move to fresh air. If symptoms persist, call a physician.

**Eyes:** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.

**Skin:** Wash off with soap and water. If symptoms persist, call a physician.

**Ingestion** If swallowed, seek medical advice immediately. If conscious, drink plenty of water. Do not induce vomiting without medical advice.

## Section 5 - Fire Fighting Measures

Flash Point: N/A

LEL:

UEL:

This product is not known to present any fire hazard.

## Section 6 - Accidental Release Measures

Sweep, shovel and/or vacuum to clean up spillage. Deposit into covered container for disposal. All material should be disposed of in accordance with local, state and federal regulations.

## Section 7 - Handling and Storage

**Handling:** No special safety measures required.

**Storage:** Store material in an air tight poly-bag in a dry environment at room temperature to avoid moisture, humidity and product degradation.

## Section 8 - Exposure Controls / Personal Protection

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
CALCITE 471-34-1	Not Established	Not Established	Not Established
BARIUM SULFATE 7727-43-7	OSHA PEL (USA) 15 (total dust) mg/m <sup>3</sup>	ACGIH TLV (USA) 10 (total dust) mg/m <sup>3</sup> 5 (respirable dust) mg/m <sup>3</sup> 10 mg/m <sup>3</sup>	Not Established
Proprietary Resins N/E	Not Established	Not Established	Not Established
TITANIUM DIOXIDE 13463-67-7	15 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>	Not Established
Pigment(s) Not Available	Not Established	Not Established	Not Established

**Eye Protection:** Safety glassed recommended.

**Skin Protection:** Use appropriate protective clothing.

**Hand Protection:** Protective leather, cloth or rubber gloves recommended.

**Respiratory Protection:** Use of dust respirator recommended when exposure limits may be exceeded.

**Ventilation:** Local exhaust ventilation to collector or containment recommended.

**Hygiene Measures:** Good industrial hygiene practices required.

## Section 9 - Physical and Chemical Properties

This mixture typically exhibits the following properties under normal circumstance:

**Appearance:** Miscellaneous Colors

**Odor:** Odorless

<b>Vapor Density:</b> Not Volatile <b>Boiling Point:</b> N/A <b>Specific Gravity</b> 1.6-3.1 <b>Evaporation Rate</b> N/A	<b>Solubility:</b> Insoluble in water <b>Coating V.O.C</b> Not Volatile <b>Melting Point</b> N/A
---	--

**Section 10 - Stability and Reactivity**

**Stability:** Stable, but will react violently with sulfuric acid or alkali materials.  
 STABLE

**Incompatibility:** None

**Hazardous Byproducts:** None

**Section 11 - Toxicological Information**

**Mixture Toxicity**  
 Inhalation Toxicity LC50: 227mg/L

**Chronic Toxicity:** This product is not listed as a carcinogen by the IARC, NTP or OSHA. According to the current knowledge this product is harmless. Therefore, no health damaging effects are expected if safety measures are followed. No specific testing has been done on this product.

**Section 12 - Ecological Information**

No ecological testing has been done on this product.

**Component Ecotoxicity**

BARIUM SULFATE	No information available
TITANIUM DIOXIDE	Ecotoxicity: Fish: LC 50 - fathead minnow - > 1,000 mg/l - 96h Invertebrates: EC 50 - Daphnia magna (water flea) - > 1,000 mg/l - 48h  Persistence and degradability: Readily degradable in the enviroment.  Bioaccumulative potential: No additional information.  Mobility in soil: No additional information.  Other adverse effects: No additional information.

**Section 13 - Disposal Considerations**

Dispose in accordance with local, state and federal regulations.

**Section 14 - Transport Information**

**Not Regulated:** Ship as Class 55

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing Group</u>	<u>Hazard Class</u>
---------------	-----------------------------	------------------	----------------------	---------------------

**Section 15 - Regulatory Information**

**U.S. Toxic Substances Control Act:** Compliant with regulations  
**Sara Title III - Sections 312 & 313:** Not hazardous.  
**California Proposition 65:** No ingredients in this product are known to cause cancer, birth defects or reproductive

hazards

**Canadian Domestic Substances List:** All ingredients in this product are listed or exempt from listing.

**State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):** WARNING!

This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

471-34-1 CALCITE Carcinogen

13463-67-7 TITANIUM DIOXIDE Carcinogen

**R2K List**

13463-67-7 TITANIUM DIOXIDE

<b>Section 16 - Other Information</b>
---------------------------------------

The material contained in this Safety Data Sheet is based on information supplied to Smith Paint Products by the raw material suppliers of the individual components of this product. Smith Paint Products believes this information is truthful and reliable. However, no warranty is expressed or implied regarding the accuracy of this information, or of any product, method or apparatus mentioned and you must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and health and safety of your employees and users of this material. As more information becomes available from our vendors additional revisions will be forthcoming.

Date Prepared: 8/31/2020